

**DIRECTORATE OF PHYSICAL PLANT; A.A.U: JORHAT**  
**SHORT QUOTATION NOTICE**


Quotations in sealed envelopes are invited from interested eligible reputed Contractors/Firm for the following work "Providing fitting and fixing of Elevators (G+2) at under construction Lift Room at Library Building at AAU, Jorhat" with the following specifications and will be received in the office of the undersigned up to 2.00 PM on 24<sup>th</sup> May 2022. The Quotations will be opened on same day at 3.00 PM in presence of intending quotationers or their representatives in the office of the undersigned. If the office happens to be closed on the dates of receiving and opening of quotations as specified above, the quotations will be received and opened on the next working day(s) at the same time and venue.

S.L NO	Specifications
1.	<p>Passengers auto lift (8 passengers) for 3 stops 3 openings, Ground to 2<sup>nd</sup> Floor (Make Omega Elevators)</p> <p>(i) Type-Passengers Autolift (8 Passengers) Gearless machine roomless</p> <p>(ii) Speed-about 544 Kg@1M/Sec</p> <p>(iii) Control: Micro Processor based V.V.V.F.ARD system</p> <p>(iv) Power supply: 415 Volts, 3 Phase, 50 cycles, AC</p> <p>(v) Travel : Ground to 2nd Floor about 6.0 Mtrs</p> <p>(vi) Stops and Opening 3 stops 3 openings (All on the same side)</p> <p>(vii) Machine: Directly placed above hoist way</p> <p>(viii) Operation: Down collective with on/off switch</p> <p>(ix) Hoist way required: About 1750 mm wide x 1720 mm deep finished dimensions</p> <p>(x) Car size: As per out GA (General Arrangement) drawings approved by you</p> <p>(xi) Car enclosure : SS cabin Finish with glass door in cabin (2/3 height glass door)</p> <p>(xii) Car entrance : Protected by Center Opening Hair Line Finish (2/3 Height Glass Door ) with Infrared Curtain</p> <p>Clear opening about 800mm wide x 2000mm high</p> <p>(xiii) Hostway Entrance : Protected by centre openings SS hair Line</p> <p>Clear opening about 800mm wide x 2000mm high</p> <p>(xiv) Door Operation : Power Operated Automatic</p>

The rates are to be quoted both in figures and in words against the specification mentioned above. The quotationers must be mention the name of work on the body of the envelop and in the tender. The details of the Quotation may be seen in AAU's Web Site [www.aau.ac.in](http://www.aau.ac.in).

All sealed quotations should be accompanied with (1) Copy of PAN Card (2) Copy of Registration Certificate under G.S.T Act. (3) Copy of Labour Registration Certificate. (4) Copy of work experience related to similar nature of work

The Authority reserves the right to accept or reject all or any Quotation without assigning any reason thereof.

  
 Executive Engineer  
 Directorate of Physical Plant  
 Assam Agril. University,  
 Jorhat-13

Memo No. AAU/DPS/164/2021-22/748-52 dt. 11-5-22