

DIRECTORATE OF PHYSICAL PLANT; A.A.U: JORHAT
SHORT QUOTATION NOTICE

Quotations in sealed envelopes are invited from interested eligible reputed Contractors/Firm for the following work "Providing fitting and fixing of Elevators (G+2) at VC Administrative Building at AAU, Jorhat" with the following specifications and will be received in the office of the undersigned up to 2.00 PM on 29.11.21. The Quotations will be opened on same day at 3.00 PM in presence of intending quotationers or their representatives in the office of the undersigned. If the office happens to be closed on the dates of receiving and opening of quotations as specified above, the quotations will be received and opened on the next working day(s) at the same time and venue.


S.L NO	Specifications
1.	<p>Passengers auto lift (8 passengers) for 3 stops 3 openings, Ground to 2nd Floor (Make Omega Elevators)</p> <p>(i) Type-Passengers Autolift (8 Passengers) Gearless machine roomless</p> <p>(ii) Speed-about 544 Kg@1M/Sec</p> <p>(iii) Control: Micro Processor based V.V.V.F.ARD system</p> <p>(iv) Power supply: 415 Volts, 3 Phase, 50 cycles, AC</p> <p>(v) Travel : Ground to 2nd Floor about 6.0 Mtrs</p> <p>(vi) Stops and Opening 3 stops 3 openings (All on the same side)</p> <p>(vii) Machine: Directly placed above hoist way</p> <p>(viii) Operation: Down collective with on/off switch</p> <p>(ix) Hoist way required: About 1750 mm wide x 1720 mm deep finished dimensions</p> <p>(x) Car size: As per out GA (General Arrangement) drawings approved by you</p> <p>(xi) Car enclosure : SS cabin Finish with glass door in cabin (2/3 height glass door)</p> <p>(xii) Car entrance : Protected by Center Opening Hair Line Finish (2/3 Height Glass Door) with Infrared Curtain</p> <p>Clear opening about 800mm wide x 2000mm high</p> <p>(xiii) Hostway Entrance : Protected by centre openings SS hair Line</p> <p>Clear opening about 800mm wide x 2000mm high</p> <p>(xiv) Door Operation : Power Operated Automatic</p>
2.	<p>Supply and laying of following size PVC/XLPE insulated and PVC sheathed 1.1 KV Grade Solid Aluminium conductor up to 10 sq mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed, Armour (Aluminium for single core up to 70 sq mm balance Aluminium strip, Galvanised for cables up to 2x10 sq mm, 3x10 sq mm, 4x6 sq mm balance all galvanised steel strip) , extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7908(Part 1) 1988 armoured U.G. cable U.G. cable laid in ground/partially in air (as required for termination over ground including excavation of cable trench up to depth of 75cm, refilling, protective brick covering, Sand cushioning etc</p>

	complete handling of surplus spoil, debris et to proper place as specified and directed by the deptt. (Nicco/ Havells/ RPG/CCI/Polycab/Gloster/ Finolex make) .3 Core A2XWY A2XFY 10.00 Sq.mm 3 Core armoured U.G. cable : 40M
3.	Supplying with fitting and fixing TPN 10 KA 240/415V 50Hz MCB of the following capacity complete with making necessary connection as approved, specified and directed by the deptt. 63A: 1 Each 40A: 1 Each
4.	Supplying with fitting and fixing sheet steel, phosphatised, powder painted Single door surface mounting vertical TPN MCB DB incorporated with bus-bar, Neutral link, Earth bar 125A and din rail etc fitted on wall with grouting nuts & bolts as reqd. complete with making necessary connection as approved, specified and directed by the deptt 4 way TPN (8+12) single door: 1 Each

The rates are to be quoted both in figures and in words against the specification mentioned above. The quotationers must mention the name of work on the body of the envelop and in the tender.

All sealed quotations should be accompanied with (1) Copy of PAN Card (2) Copy of Registration Certificate under G.S.T Act. (3) Copy of Labour Registration Certificate. (4) Copy of work experience related to similar nature of work

The Authority reserves the right to accept or reject all or any Quotation without assigning any reason thereof.



Executive Engineer
Directorate of Physical Plant
Assam Agril. University,
Jorhat-13


Dt. 12.11.21

Memo.No. 01/2523/DPJ/2018-19/(Pt-I)/ 3691-95

Copy forwarded for information and necessary action to:

1. The Comptroller, AAU, Jorhat-13
2. The Dean, FA., AAU, Jorhat
3. The Director of Physical Plant, AAU Jorhat.
4. The Accounts Officer, DPP, AAU, Jorhat.
5. Notice Board, DPP AAU Jorhat.
6. Office copy




Executive Engineer
Directorate of Physical Plant
Assam Agril. University,
Jorhat-13

DIRECTORATE OF PHYSICAL PLANT; A.A.U: JORHAT
SHORT QUOTATION NOTICE

Quotations in sealed envelopes are invited from interested eligible reputed Contractors/Firm for the following work "Providing fitting and fixing of Elevators (G+3) at Horticulture Building at AAU, Jorhat" with the following specifications and will be received in the office of the undersigned up to 2.00 PM on 29.11.2021. The Quotations will be opened on same day at 3.00 PM in presence of intending quotatloners or their representatives in the office of the undersigned. If the office happens to be closed on the dates of receiving and opening of quotations as specified above, the quotations will be received and opened on the next working day(s) at the same time and venue.


S.L NO	Specifications
1.	<p>Passengers auto lift (8 passengers) for 3 stops 3 openings, Ground to 2nd Floor (Make Omega Elevators)</p> <p>(i) Type-Passengers Autolift (8 Passengers) Gearless machine roomless</p> <p>(ii) Speed-about 544 Kg@1M/Sec</p> <p>(iii) Control: Micro Processor based V.V.V.F. ARD system</p> <p>(iv) Power supply: 415 Volts, 3 Phase, 50 cycles, AC</p> <p>(v) Travel : Ground to 3rd Floor about 9.0 Mtrs</p> <p>(vi) Stops and Opening 4 stops 4 openings (All on the same side)</p> <p>(vii) Machine: Directly placed above hoist way</p> <p>(viii) Operation: Down collective with on/off switch</p> <p>(ix) Hoist way required: About 1750 mm wide x 1720 mm deep finished dimensions</p> <p>(x) Car size: As per out GA (General Arrangement) drawings approved by you</p> <p>(xi) Car enclosure : SS cabin Finish with glass door in cabin (2/3 height glass door)</p> <p>(xii) Car entrance : Protected by Center Opening Hair Line Finish (2/3 Height Glass Door) with Infrared Curtain Clear opening about 800mm wide x 2000mm high</p> <p>(xiii) Hostway Entrance : Protected by centre openings SS hair Line Clear opening about 800mm wide x 2000mm high</p> <p>(xiv) Door Operation : Power Operated Automatic</p>
2.	<p>Supply and laying of following size PVC/XLPE insulated and PVC sheathed 1.1 KV Grade Solid Aluminium conductor up to 10 sq mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed, Armour (Aluminium for single core up to 70 sq mm balance Aluminium strip, Galvanised for cables up to 2x10 sq mm, 3x10 sq mm, 4x6 sq mm balance all galvanised steel strip) , extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7908(Part 1) 1988 armoured U.G. cable U.G. cable laid in ground/partially in air (as required for termination over ground including excavation of cable trench up to depth of 75cm, refilling, protective brick covering, Sand cushioning etc</p>

	complete handling of surplus spoil, debris et to proper place as specified and directed by the deptt. (Nicco/ Havells/ RPG/CCI/Polycab/Gloster/ Finolex make) .3 Core A2XWY A2XFY 10.00 Sq.mm 3 Core armoured U.G. cable : 23.0M
3.	Supplying with fitting and fixing TPN 10 KA 240/415V 50Hz MCB of the following capacity complete with making necessary connection as approved, specified and directed by the deptt. 63A: 1 Each 40A: 1 Each
4.	Supplying with fitting and fixing sheet steel, phosphatised, powder painted Single door surface mounting vertical TPN MCB DB incorporated with bas-bar, Neutral link, Earth bar 125A and din rail etc fitted on wall with grouting nuts & bolts as reqd. complete with making necessary connection as approved, specified and directed by the deptt 4 way TPN (8+12) single door: 1 Each

The rates are to be quoted both in figures and in words against the specification mentioned above. The quotationers must be mention the name of work on the body of the envelop and in the tender.

All sealed quotations should be accompanied with (1) Copy of PAN Card (2) Copy of Registration Certificate under G.S.T Act. (3) Copy of Labour Registration Certificate. (4) Copy of work experience related to similar nature of work

The Authority reserves the right to accept or reject all or any Quotation without assigning any reason thereof.


 12/11/21
Executive Engineer
Directorate of Physical Plant
Assam Agril. University,
Jorhat-13


01/30/DP/2020-21/PJ.
Memo.No. 01/2523/DP/2018-19/PT-1/ 3 6 6 7 0

Dt. 12-11-2021

Copy forwarded for information and necessary action to:

1. The Comptroller, AAU, Jorhat-13
2. The Dean, FA., AAU, Jorhat
3. The Director of Physical Plant, AAU Jorhat.
4. The Accounts Officer, DPP, AAU, Jorhat.
5. Notice Board, DPP AAU Jorhat.
6. Office copy



 12/11/21
Executive Engineer
Directorate of Physical Plant
Assam Agril. University,
Jorhat-13.